
HIRISE_api

unknown

Aug 29, 2022

CONTENTS

| | |
|--|-----------|
| 1 HIRISE_api | 3 |
| 1.1 HIRISE_api.hirise | 3 |
| 1.2 HIRISE_api.models | 4 |
| 1.3 HIRISE_api.preprocessing | 8 |
| 1.4 HIRISE_api.tests | 11 |
| Python Module Index | 13 |

HIRISE Api tool

HIRISE_api

CHAPTER
ONE

HIRISE_API

Modules

HIRISE_api.hirise

HIRISE_api.models

HIRISE_api.preprocessing

HIRISE_api.tests

1.1 HIRISE_api.hirise

Modules

HIRISE_api.hirise.Hirise_Image

HIRISE_api.hirise.Image_Client

HIRISE_api.hirise.utils

1.1.1 HIRISE_api.hirise.Hirise_Image

Classes

`HiriseImage(file_name)`

Class that creates an HIRISE image object that has specific attributes including latitude longitude

1.1.2 HIRISE_api.hirise.Image_Client

Classes

ImageClient()

1.1.3 HIRISE_api.hirise.utils

Functions

| | |
|---|--|
| LBL_parser(label_url) | Function that parses the .LBL file in NASA's Planetary Data System |
| append_float_data_without_strip(param, ...) | Function that validates floating point data without stripping the last characters |
| downloadRange(start_range, end, step) | |
| file_parameters_list() | Function that returns file parameters list |
| get_website_data(base_url, page_key[, sub_key]) | Function that assistes in wescaping the NASA website |
| image_map_parameters_list() | Function that returns image mapping parameters list |
| other_parameters_list() | Function that returns scaling factor, offset, center filter wavelength parameters list |
| timing_parameters_list() | Function that returns timing parameters list |
| validate_append_float_data(param, list_of_params) | Function that validates floating point data |
| viewing_parameters_list() | Function that returns viewing parameters list |

1.2 HIRISE_api.models

Modules

`HIRISE_api.models.Affinity_Propagation`

`HIRISE_api.models.Agglomerative_Clustering`

`HIRISE_api.models.BIRCH`

`HIRISE_api.models.DBSCAN`

`HIRISE_api.models.Ensemble_Models`

`HIRISE_api.models.HDBSCAN`

`HIRISE_api.models.KMeans`

`HIRISE_api.models.Mean_Shift`

`HIRISE_api.models.OPTICS`

`HIRISE_api.models.metrics`

`HIRISE_api.models.utils`

1.2.1 HIRISE_api.models.Affinity_Propagation

Functions

`affinity_propagation_analysis(...[, plot, ...])` Function that uses as input the encoded image samples and clusters the data using affinity propagation.

1.2.2 HIRISE_api.models.Agglomerative_Clustering

Functions

`agglomerative_clustering_analysis(...[, ...])` Function that uses as input the encoded image samples and clusters the data using agglomerative clustering.

1.2.3 HIRISE_api.models.BIRCH

Functions

| | |
|---|---|
| BIRCH_analysis(encoded_samples, ...[, plot, ...]) | Function that uses as input the encoded image samples and clusters the data using affinity propagation. |
|---|---|

1.2.4 HIRISE_api.models.DBSCAN

Functions

| | |
|---|--|
| DBSCAN_analysis(encoded_samples, true_labels) | Function that uses as input the encoded image samples and clusters the data using Density-based spatial clustering of applications with noise. |
|---|--|

1.2.5 HIRISE_api.models.Ensemble_Models

Functions

| | |
|---|---|
| ensemble_model(encoded_data, labels, ...[, ...]) | |
| evaluate_model(model, translation_dataframe, ...) | Function that uses cross-validation and evaluates the stacking model. |
| get_models([discovery]) | Function that defines specified models as an input to the ensemble model. |
| get_stacking([discovery, all_models]) | Function that stacks specified models together as an input to the ensemble model. |

Classes

| | |
|---|--|
| AgglomerativeClusteringWrapper([n_clusters, ...]) | |
| DBSCANWrapper([eps, min_samples, metric, ...]) | |
| HDBSCANWrapper([min_cluster_size, ...]) | |
| OpticsWrapper(*[, min_samples, max_eps, ...]) | |

1.2.6 HIRISE_api.models.HDBSCAN

Functions

`HDBSCAN_analysis(encoded_samples[, ...])`

Function that uses as input the encoded image samples and clusters the data using Hierarchical Density-based spatial clustering of applications with noise. The user must specify only the minimum samples, which is the tuning parameters for HDBSCAN.

1.2.7 HIRISE_api.models.KMeans

Functions

`kmeans_analysis(encoded_samples[, clusters, ...])`

Function that uses as input the encoded image samples and clusters the data using K Means clustering of applications with noise.

1.2.8 HIRISE_api.models.Mean_Shift

Functions

`mean_shift_analysis(encoded_samples[, plot, ...])`

Function that uses as input the encoded image samples and clusters the data using Mean Shift Clustering Method.

1.2.9 HIRISE_api.models.OPTICS

Functions

`OPTICS_analysis(dataframe[, eps, ...])`

Function that uses as input the encoded image samples and clusters the data using Ordering Points To Identify Cluster Structure Method.

1.2.10 HIRISE_api.models.metrics

Functions

| | |
|--|--|
| <code>calculate_metrics(model, labels[, verbose])</code> | Function that calculates metrics including, rand score, adjusted rand score, mutual information score, normalized mutual information score, adjusted mutual information score, balanced accuracy score, completeness score, homogeneity score and v-score for a given model. |
| <code>classification_metrics_dataframe(model_list, ...)</code> | Function that creates a metrics dataframe based on the calculated metrics for each model in the model list specified by the user. |
| <code>generate_precision_dataframe(folder_path, ...)</code> | Function that returns a generated a dataframe of all the precision values evaluated for a true and predicted labels after classification analysis on a dataset. |
| <code>print_confusion_matrix(folder_path, ...[, ...])</code> | Function that prints the confusion matrix metric for a given set of image clustering results and the associated images. |

1.2.11 HIRISE_api.models.utils**Functions**

| |
|--|
| <code>elbow_curve(encoded_samples[, max_values, ...])</code> |
| <code>generate_precision_dataframe(folder_path, ...)</code> |
| <code>translate_labels(translation_list, model_results)</code> |

1.3 HIRISE_api.preprocessing**Modules**

`HIRISE_api.preprocessing.Data_Preparation`

`HIRISE_api.preprocessing.`

`Dimension_Reduction`

`HIRISE_api.preprocessing.Encoding`

`HIRISE_api.preprocessing.Image_Loader`

`HIRISE_api.preprocessing.utils`

1.3.1 HIRISE_api.preprocessing.Data_Preparation

Classes

| | |
|-------------------|--|
| DataPreparation() | Class that allows for data preparation as part of the pre-processing of the hirise images. |
|-------------------|--|

1.3.2 HIRISE_api.preprocessing.Dimension_Reduction

Functions

| | |
|---|--|
| PCA_analysis(encoded_samples, labels[, ...]) | The PCA analysis allows the user to understand different aspects of the PCA method. |
| TSNE_analysis(encoded_samples, labels[, ...]) | The T-SNE analysis allows the user to understand different aspects of the TSNE method. The user can choose to plot the 2D and 3D visualisations. |
| UMAP_analysis(encoded_samples[, components, ...]) | The UMAP analysis allows the user to understand different aspects of the UMAP method. |

1.3.3 HIRISE_api.preprocessing.Encoding

Functions

| | |
|---|---|
| create_encoded_samples_dataframe(folder_path) | Function that uses the autoencoder to encode the samples and return an encoded samples dataframe to the user based on latent dimensions input by the user |
| plot_autoencoder_results(encoder, decoder, ...) | Function that plots the original and reconstructed images from the autoencoder results |
| test_batches(encoder, decoder, device, ...) | Function that is used to test the Convolutional Autoencoder and return the mean loss, averaged over all input batches. |
| train_CAE(encoder, decoder, device, ...) | Function that is used to train using a single batch input into the autoencoder. |
| train_batches(encoder, decoder, device, ...) | Function that is used to train the Convolutional Autoencoder and return the mean loss, averaged over all input batches. |
| transfer_learning_encoding(folder_path[, ...]) | The Transfer learning function takes in the folder path of the images to |

Classes

| | |
|--|---|
| CAEDecoder(encoded_space_dim, fc2_input_dim) | Class that supports functions needed to define the architecture and forward functions of the decoder in the Convolutional Autoencoder |
| CAEEncoder(encoded_space_dim, fc2_input_dim) | Class that supports functions needed to define the architecture and forward functions of the encoder in the Convolutional Autoencoder |

1.3.4 HIRISE_api.preprocessing.Image_Load

Functions

| | |
|---|--|
| generate_dataloaders(folder_path[, transform]) | Function that generates the dataloaders for a HIRISE dataset, given folder path specified by the user |
| generate_dataset(folder_path[, transform]) | Function that generated the HIRISE Dataset given a folderpath of HIRISE Images |
| initialize_encoder_decoder([latent_dimensions]) | Fuction that initialized the encoder and decoder depeining on the latent |
| show_classes(folder_path[, transform, ...]) | Function that shows all classes defined by the user though the Image Folders using the Image Folder dataset |
| show_encoder_decoder_image_sizes(folder_path) | Function that returns the input and output image sizes of images that have been through the autoencoding process |

Classes

| | |
|---|--|
| HiriseImageDataset(path_to_images[, transform]) | Hirise Image Dataset Class that initialize the pytorch ImageLoader Dataset with the folder images to return and image and associated folder name(label) |
|---|--|

1.3.5 HIRISE_api.preprocessing.utils

Functions

| | |
|---|---|
| create_image_list(file_path[, transform]) | Function that creates a list of all the images in the specified folder in a PIL format |
| display_all_images(file_path, ...[, ...]) | Function to display all the image in the folder in a flat rasterified format. |
| display_image_distributions(image_file_path, ...) | Function to display all the image in the folder as images on a distributed map using TSNE,UMAP or PCA as the preprocessing function |
| normalize_results(encoded_samples) | Function that is used to normalize the values of the encoded samples. |
| read_encoded_csv(file_path[, autoencoder]) | |
| show_cluster_images(image_file_path, ...[, ...]) | Prints the image in a specified cluster, in the form of a grid with rows and columns specified by the user |

1.4 HIRISE_api.tests

Modules

`HIRISE_api.tests.test_hirise`

`HIRISE_api.tests.test_models`

`HIRISE_api.tests.test_preprocessing`

1.4.1 HIRISE_api.tests.test_hirise

Functions

`test_database_exists()`

`test_filter_center_latlon()`

`test_get_all_parameters()`

`test_get_images()`

`test_get_individual_parameters()`

1.4.2 HIRISE_api.tests.test_models

Functions

`test_clustering_results()`

| | |
|--------------------------------------|---|
| <code>test_metrics_function()</code> | Test if metrics function returns all 9 metrics output as expected |
|--------------------------------------|---|

| | |
|--------------------------------------|--|
| <code>test_translate_labels()</code> | Test if label translation function for classification metrics translated user defined labels as expected |
|--------------------------------------|--|

1.4.3 HIRISE_api.tests.test_preprocessing

Functions

| | |
|---------------------------------|--|
| <code>test_autoencoder()</code> | Test if output size of the auto-encoded image is as expected |
|---------------------------------|--|

| | |
|---|---|
| <code>test_pca_dimension_reduction()</code> | Test if output of PCA Analysis is as expected |
|---|---|

| | |
|--|--|
| <code>test_tsne_dimension_reduction()</code> | Test if output of TSNE Analysis is as expected |
|--|--|

| | |
|--|--|
| <code>test_umap_dimension_reduction()</code> | Test if output of UMAP analysis is as expected |
|--|--|

PYTHON MODULE INDEX

h

 HIRISE_api, 3
 HIRISE_api.hirise, 3
 HIRISE_api.hirise.Hirise_Image, 3
 HIRISE_api.hirise.Image_Client, 4
 HIRISE_api.hirise.utils, 4
 HIRISE_api.models, 4
 HIRISE_api.models.Affinity_Propagation, 5
 HIRISE_api.models.Aggressive_Clustering, 5
 HIRISE_api.models.BIRCH, 6
 HIRISE_api.models.DBSCAN, 6
 HIRISE_api.models.Ensemble_Models, 6
 HIRISE_api.models.HDBSCAN, 7
 HIRISE_api.models.KMeans, 7
 HIRISE_api.models.Mean_Shift, 7
 HIRISE_api.models.metrics, 7
 HIRISE_api.models.OPTICS, 7
 HIRISE_api.models.utils, 8
 HIRISE_api.preprocessing, 8
 HIRISE_api.preprocessing.Data_Preparation, 9
 HIRISE_api.preprocessing.Dimension_Reduction,
 9
 HIRISE_api.preprocessing.Encoding, 9
 HIRISE_api.preprocessing.Image_Loader, 10
 HIRISE_api.preprocessing.utils, 10
 HIRISE_api.tests, 11
 HIRISE_api.tests.test_hirise, 11
 HIRISE_api.tests.test_models, 11
 HIRISE_api.tests.test_preprocessing, 11